

Open Your Doors to New Opportunities....



Key Features

1. **A Decorative & Practical Pleated Screen Solution for Doors**

- Provides insect protection and ventilation when needed, disappears when you don't.



2. **Manually Operated, Convenient**

- Smooth, quiet, safe, and functional, remains in the desired position.

3. **Unrestricted Entry**

- Our Low Profile Bottom Rail offers a barrier-free access, NO consideration for recessing the bottom rail in floor.



4. **Functional, yet Attractive**

- The Retracting Mesh Guide serves to properly maintain the position of the mesh when the screen is extended, and disappears when retracted.



5. **Innovative Screen Fabric, Both Durable & Sheer**

- Mesh: Polyester fabric, mono filament for durability, allows for a clearer view and optimum ventilation.

6. **Long-Lasting High-Performance Wire**


- A recent development in wire technology ensures years of worry free use.

7. **Fits A Variety of Doors and Wide Openings**

- The Flexi Screen suits most types and styles of doors; single and double entries, sliders, stacking, multi-track and bi-folding. The connectable panel system allows the Flexi Screen to cover wider openings up to 9 meters, almost 30 feet in width.

EZ Screen

Patented



From Measuring to Installation in JUST ONE VISIT

- Long components and pre-assembled parts
- Easy sizing and assembly



Long components

Key Features

- Retractable Roller Screen with fiberglass mesh**
- Flexible Applications** - PVC/ Aluminum frame, Single/ Double sliding and Roll up, Face/ Recessed mount installation
- Size Adjustable** - Adjustable by cutting in both width and height for greater versatility.
- Spring Adjuster** - controls spring tension and ensures smooth, quiet and safe operation.
- Mesh Lock Adjuster** - keeps mesh tight and provides maximum insect protection.



Maximum Insect Protection


Specifications

Material	Frames : PVC / Aluminum Mesh : Fiberglass		
Color	White *Custom color is available with a certain volume.		
Installation	Face mount / Recessed (Frame Inside) mount		
Available Applications	Face mount	PVC	Single sliding / Double sliding / Roll up
		Aluminum	Single sliding / Double sliding / Roll up
Available Applications	Recessed (Inside) mount	Aluminum	Single sliding / Double sliding / Roll up
Available Size	Single sliding : Width = up to 1,200mm (47 1/4"), Height = up to 2,000mm (78 3/4") Double sliding : Width = up to 2,400mm (94 1/2"), Height = up to 2,000mm (78 3/4") Roll up : Width = up to 1,200mm (47 1/4"), Height = up to 2,000mm (78 3/4")		

Monarch Window Screen

Patent Pending

Best for own fabrication and Installation!!



Key Features

01. Retractable Pleated Screen with PP + PE mesh

02. Manual Operation - Smooth, quiet and safe operation

*Screen can stay where positioned on the rail.

03. Compact Design - 15 mm (5/8") pleated mesh enables compact design of the unit.

04. Selectable Frame Spec - Aluminum or PVC frame can be selected to suit both Aluminum and PVC windows.

05. Mesh Hooks - hold the mesh on the top of unit and provide wind proof.

06. Wide Adjustability - Size adjustable by cutting both in height and width.

07. Selectable Storing Side - Storing side can be determined at site.

08. Vertical type - is available.



Maximum Insect Protection



09. Easy Installation - "Face mount" with high-strength adhesive tape and "Recessed mount" with specially designed attachment are available.

10. Handy for Painting - Frames on the Main Screen Cartridge are covered by paintable aluminum frames.

11. Double Door Kit (DDK) - converts 2 screens into a double screen.

12. Replacement Main Screen Cartridge (RMSC) - is available.

